

# Collection 15

**LINUS BOPP LEUCHTEN GMBH**

Tannenweg 6  
D - 74838 Limbach

Tel. + 49 (0) 62 87 - 92 06 0  
Fax + 49 (0) 62 87 - 92 06 52  
vk@bopp-leuchten.de



# Bluetooth BOPP LEUCHTEN + BLUETOOTH

## ERLEBEN SIE MIT BOPP LEUCHTEN UND CASAMBI DIE ZUKUNFT DER LED LEUCHTEN:

- benutzen Sie Ihre bestehenden Lichtschalter als Dimmer
- bedienen Sie Ihre Leuchten per App von Ihrem Smartphone\* oder Tablet\*
- erstellen Sie individuelle Licht-Szenarien und steuern Sie diese komfortabel von Ihrem Smartphone\* oder Tablet\*

Alle Leuchten mit diesem Zeichen:  sind Bluetooth-fähig und somit per Casambi-App steuerbar.

\*ab iPhone 4S, iPad mini, iPad der 3. Generation und iPod touch der 5. Generation

## EXPERIENCE THE FUTURE OF LED LIGHTING WITH BOPP LEUCHTEN AND CASAMBI:

- Continue using your existing light switch as a dimmer
- Operate your lamps with your smartphone\* or tablet\* using our app
- Create individual lighting scenarios and control them comfortably from your smartphone\* or tablet\*

All lamps with this symbol  are Bluetooth compatible and thus controllable by Casambi App.

\*available starting with iPhone 4S, iPad mini, iPad 3rd generation and iPod touch 5th generation

Weitere Informationen zur individuellen Lichtsteuerung:





More information for controlling light individually:




# COLLECTION 15



» DEKORATIVE LED LEUCHTEN IN BLATTGOLD, CHROM ..... DECORATIVE LED LIGHTS IN GOLD LEAF, CHROME ..... 2



» AKTUELLE LED LEUCHTEN IN ALU, WEISS, SCHWARZ ..... CURRENT LED LIGHTS IN ALUMINIUM, WHITE, BLACK ..... 33



» MODERNE LANDHAUSLEUCHTEN ..... MODERN COUNTRY-STYLE LIGHTING ..... 103



→ Erläuterungen zur Energieverbrauchskennzeichnung sowie unsere aktuellen Dimmerempfehlungen finden Sie im Katalog auf Seite 113.

→ Notes regarding energy labeling and our current dimmer recommendations can be found in our catalogue on page 113.



# VERTEX

Blattgold / gold leaf



**384 904 09**

Pendelleuchte 4-flammig  
hanging lamp 4-light

\* 4 x HV-LED 750 lm – 8,7 W / 3.000 lm cpl  
☒ ↔ 130 cm ↓ max. 140 cm


dimmbar  
dimmable

incl. LED 2700 K / Ra80



# SATURN

Blattgold / gold leaf



365 803 09 / 365 893 09

Deckenleuchte 3-flammig  
ceiling lamp 3-light

\* 3 x LED 1.334 lm – 13,7 W / 4.002 lm cpl  
☐ ø 50 cm ↓ 35 cm

dimmbar  
dimmable


incl. LED 2700 K / Ra85





# HORIZON

Blattgold / gold leaf



## 372 804 09

Deckenleuchte 4-flammig  
ceiling lamp 4-light

\* 4 x LED 576 lm – 6,7 W / 2.304 lm cpl  
↔ 55 cm ↓ 32 cm

dimmbar  
dimmable

## 372 203 09

Tischleuchte 3-flammig  
table lamp 3-light

\* 3 x LED 576 lm – 6,7 W / 1.728 lm cpl  
↔ 55 cm ↑ 32 cm

Tastdimmer  
pushbutton dimmer

## 372 906 09

Hängeleuchte 6-flammig  
hanging lamp 6-light

\* 6 x LED 576 lm – 6,7 W / 3.456 lm cpl  
↔ 130 cm ↓ max. 140 cm


höhenstellbar, Tastdimmer  
adjustable in height, pushbutton dimmer

incl. LED 2700 K / Ra85



# VERTEX

hochglanzchrom / highly polished chrome



**381 904 09**

Pendelleuchte 4-flammig  
hanging lamp 4-light

\* 4 x HV-LED 750 lm – 8,7 W / 3.000 lm cpl  
☒ ↔ 130 cm ↓ max. 140 cm

dimmbar  
dimnable


incl. LED 2700 K / Ra80





# ONDA

hochglanzchrom / *highly polished chrome*



323 906 09 / 323 996 09

Hängeleuchte 6-flammig  
*hanging lamp 6-light*



\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
↔ 150 cm ↓ max. 140 cm

höhenstellbar, dimmbar  
*adjustable in height, dimmable*

incl. LED 2700 K / Ra85

# ONDA

hochglanzchrom / highly polished chrome



**323 905 09 / 323 995 09**

Hängeleuchte 5-flammig  
hanging lamp 5-light  
\* 5 x LED 419 lm – 4,5 W / 2.095 lm cpl  
☒ ↔ 115 cm ↓ max. 140 cm  
höhenstellbar, dimmbar  
adjustable in height, dimmable



**323 806 09 / 323 896 09**

Deckenleuchte 6-flammig  
ceiling lamp 6-light  
\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
☒ ↔ 60 cm ↓ 26 cm ↓ 8 cm  
dimmbar / dimmable

**323 502 09**

Wandleuchte 2-flammig  
wall lamp 2-light  
\* 2 x LED 419 lm – 4,5 W / 838 lm cpl  
☒ ↔ 40 cm ↔ 12 cm

**323 809 09 / 323 899 09**



Deckenleuchte 9-flammig  
ceiling lamp 9-light  
\* 9 x LED 419 lm – 4,5 W / 3.771 lm cpl  
☒ ↔ 100 cm ↓ 26 cm ↓ 8 cm  
dimmbar / dimmable





# MORE

hochglanzchrom / *highly polished chrome*



## 358 905 09

Hängeleuchte 5-flammig  
*hanging lamp 5-light*

\* 2 x LED 419 lm – 4,5 W  
3 x LED 576 lm – 6,7 W / 2.566 lm cpl  
☒ ↔ 100 cm ↓ max. 140 cm


höhenstellbar, Tastdimmer  
*adjustable in height, pushbutton dimmer*

incl. LED 2700 K / Ra85



# ARCO

hochglanzchrom / *highly polished chrome*



296 906 09 / 296 996 09

Hängeleuchte 6-flammig  
*hanging lamp 6-light*


\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
☒ ↔ 150 cm ↓ 105 – 190 cm

höhenverstellbar über Gegengewicht, dimmbar  
*adjustable in height by a counter weight, dimmable*

incl. LED 2700 K / Ra85

# ARCO

hochglanzchrom / highly polished chrome



**296 400 09**  
 Stehleuchte 3-flammig  
*floor lamp 3-light*      \* 3 x LED 1240 lm – 13,7 W / 3.720 lm cpl  
 ⊞ ↑ 180 cm      Lichtelemente schwenkbar, dimmbar über  
 Tastdimmer / *light elements rotatable, dimmable by  
 a touch dimmer*

**296 502 09**  
 Wandleuchte 2-flammig  
*wall lamp 2-light*      \* 2 x LED 419 lm – 4,5 W / 838 lm cpl  
 ⊞ ↔ 40 ↔ 12 cm

**296 804 09**   
 Deckenleuchte 4-flammig  
*ceiling lamp 4-light*      \* 4 x LED 419 lm – 4,5 W / 1.676 lm cpl      dimmbar / *dimmable*  
 ⊞ ↔ 80 cm ⊞ ↓ 8 cm ⊞ ↓ 7,5 cm

**296 904 09 / 296 994 09**   
 Hängeleuchte 4-flammig  
*hanging lamp 4-light*      \* 4 x LED 419 lm – 4,5 W / 1.676 lm cpl      höhenverstellbar über Gegengewicht, dimmbar  
 ⊞ ↔ 115 cm ⊞ ↓ 105 – 190 cm      *adjustable in height by a counter weight, dimmable*

**296 604 09**   
 Deckenleuchte 4-flammig  
*ceiling lamp 4-light*      \* 4 x LED 419 lm – 4,5 W / 1.676 lm cpl      Lichtelemente schwenkbar, dimmbar  
 ⊞ ↔ 40 cm ⊞ ↓ 40 cm      *light elements rotatable, dimmable*


incl. LED 2700 K / Ra85





# PLUS

hochglanzchrom / *highly polished chrome*



**392 907 09**

Pendelleuchte 7-flammig  
*hanging lamp 7-light*

\* 4 x LED 419 lm – 4,5 W  
3 x LED 765 lm – 8 W / 3.971 lm cpl  
↔ 120 - 150 cm ↓ max. 140 cm

dimmbar, Hängeelement einzeln höhenverstellbar  
*dimmable, hanging element individually adjustable  
in height*

incl. LED 2700 K / Ra80



# LEDs GO

hochglanzchrom / *highly polished chrome*



249 906 09 / 249 996 09

Hängeleuchte 6-flammig  
*hanging lamp 6-light*


\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
☒ ↔ 195 cm ↓ max. 140 cm

dimmbar / *dimmable*

incl. LED 2700 K / Ra85

# LEDs GO

hochglanzchrom  
highly polished chrome



**249 905 09 / 249 995 09**

Hängeleuchte 5-flammig  
hanging lamp 5-light  
\* 5 x LED 419 lm – 4,5 W / 2.095 lm cpl  
↔ 140 cm ↓ max. 140 cm  
dimmbar / dimmable

**249 903 09 / 249 993 09 ohne Abb. / without ill.**

Hängeleuchte 3-flammig  
hanging lamp 3-light  
\* 3 x LED 419 lm – 4,5 W / 1.257 lm cpl  
↔ 90 cm ↓ max. 140 cm  
dimmbar / dimmable

incl. LED 2700 K / Ra85

**249 904 09 / 249 994 09**


Hängeleuchte 4-flammig  
hanging lamp 4-light  
\* 4 x LED 419 lm – 4,5 W / 1.676 lm cpl  
↔ 115 cm ↓ max. 140 cm  
dimmbar / dimmable





# EXTRA

hochglanzchrom / highly polished chrome



## 368 804 09 / 368 894 09

Deckenleuchte 4-flammig  
ceiling lamp 4-light

\* 4 x LED 419 lm – 4,5 W / 1.676 lm cpl  
☒ ↔ 30 cm ↓ 30 cm ↓ 10 cm

dimmbar  
dimmable

## 368 806 09 / 368 896 09

Deckenleuchte 6-flammig  
ceiling lamp 6-light

\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
☒ ↔ 30 cm ↓ 45 cm ↓ 10 cm


dimmbar  
dimmable

incl. LED 2700 K / Ra85



# STEP

hochglanzchrom – Chrom matt  
*highly polished chrome – mat chrome*



**370 906 09 / 370 996 09**

Pendelleuchte 6-flammig  
*hanging lamp 6-light*


\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
↔ 140 cm ↓ 100 - 190 cm

höhenverstellbar, Lichtelemente kipp-/ drehbar,  
*dimmbar / adjustable in height, light elements can  
be tilted and rotated, dimmable*

incl. LED 2700 K / Ra85

# STEP

hochglanzchrom – Chrom matt / *highly polished chrome – mat chrome*



## 370 805 09

Deckenleuchte 5-flammig  
*ceiling lamp 5-light*

\* 5 x LED 419 lm – 4,5 W / 2.095 lm cpl  
☑ ↔ 40 cm ↓ 80 cm ↓ 12 cm

Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated; dimmable*

## 370 501 09

Wandleuchte 1-flammig  
*wall lamp 1-light*

\* 1 x LED 419 lm – 4,5 W / 419 lm cpl  
☑ ↓ 10 cm ↔ 10 cm ↔ 12 cm

Lichtelemente kipp-/drehbar, nicht dimmbar  
*light elements can be tilted and rotated; can not be dimmed*

## 370 804 09

Deckenleuchte 4-flammig  
*ceiling lamp 4-light*

\* 4 x LED 419 lm – 4,5 W / 1.676 lm cpl  
☑ ↔ 80 cm ↓ 12 cm

Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated; dimmable*

## 370 802 09

Deckenleuchte 2-flammig  
*ceiling lamp 2-light*

\* 2 x LED 419 lm – 4,5 W / 838 lm cpl  
☑ ↔ 39 cm ↓ 12 cm

Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated; dimmable*

## 370 803 09

Deckenleuchte 3-flammig  
*ceiling lamp 3-light*

\* 3 x LED 419 lm – 4,5 W / 1.257 lm cpl  
☑ ↔ 59 cm ↓ 12 cm

Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated; dimmable*

incl. LED 2700 K / Ra85



# BRIDGE

Aluminium poliert / polished aluminium



## 242 202 09

Tischleuchte 2-flammig  
table lamp 2-light  
\* 2 x LED 309 lm – 3,2 W / 618 lm cpl  
☑ ↑ 50 cm Armlänge / arm length 50 cm

## 242 402 09

Stehleuchte 2-flammig  
floor lamp 2-light  
\* 2 x LED 309 lm – 3,2 W / 618 lm cpl  
☑ ↑ 150 cm Armlänge / arm length 50 cm

## 242 502 09

Klemmleuchte 2-flammig  
clamp lamp 2-light  
\* 2 x LED 309 lm – 3,2 W / 618 lm cpl  
☑ ↑ 50 cm Armlänge / arm length 50 cm

incl. LED 2700 K / Ra85

# BRIDGE

alufarbig / aluminium coloured



## 241 202 09

Tischleuchte 2-flammig  
table lamp 2-light  
\* 2 x LED 309 lm – 3,2 W / 618 lm cpl  
☑ ↑ 50 cm Armlänge / arm length 50 cm

## 241 402 09

Stehleuchte 2-flammig  
floor lamp 2-light  
\* 2 x LED 309 lm – 3,2 W / 618 lm cpl  
☑ ↑ 150 cm Armlänge / arm length 50 cm


## 241 502 09

Klemmleuchte 2-flammig  
clamp lamp 2-light  
\* 2 x LED 309 lm – 3,2 W / 618 lm cpl  
☑ ↑ 50 cm Armlänge / arm length 50 cm



# VERTEX

Aluminium geschliffen / *smoothed aluminium*



**380 904 09**

Pendelleuchte 4-flammig  
*hanging lamp 4-light*

\* 4 x HV-LED 750 lm – 8,7 W / 3.000 lm cpl  
☒ ↔ 130 cm ↓ max. 140 cm


dimmbar  
*dimmable*

incl. LED 2700 K / Ra80



# SATURN

Aluminium geschliffen / *smoothed aluminium*



## 363 803 09 / 363 893 09

Deckenleuchte 3-flammig  
*ceiling lamp 3-light*

\* 3 x LED 1.334 lm – 13,7 W / 4.002 lm cpl  
☑ ∅ 50 cm ↓ 35 cm

dimmbar  
*dimmable*

## 363 404 09

Fluter 4-flammig  
*floor lamp 4-light*

\* 3 x LED 1.334 lm – 13,7 W  
1 x LED 765 lm – 8 W / 4.767 lm cpl  
☑ ↑ 180 cm

dimmbar mit 2 Tastdimmer, Lichtelement kipp-  
schwenkbar / *dimmable with 2 pushbutton  
dimmer, light element can be tilted and rotated*

incl. LED 2700 K / Ra85



# HORIZON

Aluminium geschliffen / smoothed aluminium






**371 906 09**

Hängeleuchte 6-flammig  
hanging lamp 6-light

\* 6 x LED 576 lm – 6,7 W / 3.456 lm cpl  
↔ 130 cm ↓ max. 140 cm

höheinstellbar, Tastdimmer  
adjustable in height, pushbutton dimmer

incl. LED 2700 K / Ra85



**371 804 09**

Deckenleuchte 4-flammig  
ceiling lamp 4-light

\* 4 x LED 576 lm – 6,7 W / 2.304 lm cpl  
↔ 55 cm ↓ 32 cm

dimmbar  
dimmable

**371 203 09**

Tischleuchte 3-flammig  
table lamp 3-light


\* 3 x LED 576 lm – 6,7 W / 1.728 lm cpl  
↔ 55 cm ↓ 32 cm

Tastdimmer  
pushbutton dimmer



# PLUS

Aluminium geschliffen / smoothed aluminium



**391 907 09**

Pendelleuchte 7-flammig  
hanging lamp 7-light



\* 4 x LED 419 lm – 4,5 W  
3 x LED 765 lm – 8 W / 3.971 lm cpl  
↔ 120 - 150 cm ↓ max. 140 cm

dimmbar, Hängeelement einzeln höhenverstellbar  
dimmable, hanging element individually adjustable  
in height

incl. LED 2700 K / Ra80

# ONDA

Aluminium geschliffen / *brushed aluminium*



## 322 809 09 / 322 899 09

Deckenleuchte 9-flammig  
ceiling lamp 9-light

\* 9 x LED 419 lm – 4,5 W / 3.771 lm cpl  
↔ 100 cm ↓ 26 cm ↓ 8 cm

dimmbar  
dimmable

## 322 502 09

Wandleuchte 2-flammig  
wall lamp 2-light

\* 2 x LED 419 lm – 4,5 W / 838 lm cpl  
↔ 40 cm ↔ 12 cm

## 322 906 09 / 322 996 09

Hängeleuchte 6-flammig  
hanging lamp 6-light

\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
↔ 150 cm ↓ max. 140 cm

höhenstellbar, dimmbar  
adjustable in height, dimmable

incl. LED 2700 K / Ra85



## 322 905 09 / 322 995 09

Hängeleuchte 5-flammig  
hanging lamp 5-light

\* 5 x LED 419 lm – 4,5 W / 2.095 lm cpl  
↔ 115 cm ↓ max. 140 cm

höhenstellbar, dimmbar  
adjustable in height, dimmable

## 322 806 09 / 322 896 09

Deckenleuchte 6-flammig  
ceiling lamp 6-light

\* 6 x LED 419 lm / 4,5 W / 2.514 lm cpl  
↔ 60 cm ↓ 26 cm ↓ 8 cm


dimmbar / dimmable





# MORE

Aluminium geschliffen / *smoothed aluminium*



## 357 905 09

Hängeleuchte 5-flammig  
*hanging lamp 5-light*

\* 2 x LED 419 lm – 4,5 W  
3 x LED 576 lm – 6,7 W / 2.566 lm cpl  
↔ 100 cm ↓ max. 140 cm



höhenstellbar, Tasterdimmer  
*adjustable in height, pushbutton dimmer*

incl. LED 2700 K / Ra85



# ARCO

Aluminium geschliffen  
brushed aluminium



**273 406 09**

Stehleuchte 6-flammig  
floor lamp 6-light


\* 6 x LED 576 lm – 6,7 W / 3.456 lm cpl  
↕ → 170 cm 1220 cm

Tastdimmer  
pushbutton dimmer

incl. LED 2700 K / Ra85

# ARCO

Aluminium geschliffen  
brushed aluminium



## 273 906 09 / 273 996 09

Hängeleuchte 6-flammig  
hanging lamp 6-light  
\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
↕ → 150 cm ↓ 105 – 190 cm  
höhenverstellbar über Gegengewicht, dimmbar  
adjustable in height by a counter weight, dimmable

## 273 502 09

Wandleuchte 2-flammig  
wall lamp 2-light  
\* 2 x LED 419 lm – 4,5 W / 838 lm cpl  
↔ 40 ↔ 12 cm

## 273 400 09

Stehleuchte 3-flammig  
floor lamp 3-light  
\* 3 x LED 1.240 lm – 13,7 W / 3.720 lm cpl  
↑ 180 cm  
Lichtelemente schwenkbar, dimmbar über Tastdimmer  
light elements rotatable, dimmable by a touch dimmer

## 273 804 09

Deckenleuchte 4-flammig  
ceiling lamp 4-light  
\* 4 x LED 419 lm – 4,5 W / 1.676 lm cpl  
↕ → 80 cm ↓ 8 cm ↓ 7,5 cm  
dimmbar / dimmable

## 273 904 09 / 273 994 09

Hängeleuchte 4-flammig  
hanging lamp 4-light  
\* 4 x LED 419 lm – 4,5 W / 1.676 lm cpl  
↕ → 115 cm ↓ 105 – 190 cm  
höhenverstellbar über Gegengewicht, dimmbar  
adjustable in height by a counter weight, dimmable

## 273 604 09


Deckenleuchte 4-flammig  
ceiling lamp 4-light  
\* 4 x LED 419 lm – 4,5 W / 1.676 lm cpl  
↕ → 40 cm ↓ 40 cm  
Lichtelemente schwenkbar, dimmbar  
light elements rotatable, dimmable





# RONDO

Aluminium geschliffen / smoothed aluminium



## 379 001 09

Einbauleuchte 1-flammig  
*built-in light 1-light*

\* 1 x HV-LED 750 lm – 8,7 W / 750 lm cpl  
☐ ø 14 cm ↓ 5 cm

dimmbar  
*dimnable*

## 379 804 09 ●

Deckenleuchte 4-flammig  
*ceiling lamp 4-light*

\* 4 x HV-LED 750 lm – 8,7 W / 3.000 lm cpl  
☐ ↔ 60 cm ↓ 20 cm ↓ 10 cm

dimmbar  
*dimnable*

## 379 604 09 ●

Deckenleuchte 4-flammig  
*ceiling lamp 4-light*

\* 4 x HV-LED 750 lm – 8,7 W / 3.000 lm cpl  
☐ ø 34 cm ↓ 10 cm

dimmbar  
*dimnable*

## 379 801 09

Deckenleuchte 1-flammig  
*ceiling lamp 1-light*

\* 1 x HV-LED 750 lm – 8,7 W / 750 lm cpl  
☐ ø 14 cm ↓ 10 cm


dimmbar  
*dimnable*

incl. LED 2700 K / Ra80



# FRAME

Aluminium geschliffen / smoothed aluminium



## 361 001 09

Einbauleuchte 1-flammig  
*built-in light 1-light*      \* 1 x HV-LED 750 lm – 8,7 W / 750 lm cpl      dimmbar  
↳ ↔ 17 cm ↓ 17 cm ↓ 5 cm      *dimmable*

## 361 801 09

Deckenleuchte 1-flammig  
*ceiling lamp 1-light*      \* 1 x HV-LED 750 lm – 8,7 W / 750 lm cpl      dimmbar  
↳ ↔ 17 cm ↓ 17 cm ↓ 10 cm      *dimmable*

## 361 802 09

Deckenleuchte 2-flammig  
*ceiling lamp 2-light*      \* 2 x HV-LED 750 lm – 8,7 W / 1.500 lm cpl      dimmbar  
↳ ↔ 32 cm ↓ 17 cm ↓ 10 cm      *dimmable*

## 361 804 09 □

Deckenleuchte 4-flammig  
*ceiling lamp 4-light*      \* 4 x HV-LED 750 lm – 8,7 W / 3.000 lm cpl      dimmbar  
↳ ↔ 60 cm ↓ 17 cm ↓ 10 cm      *dimmable*

## 361 809 09

Deckenleuchte 9-flammig  
*ceiling lamp 9-light*      \* 9 x HV-LED 750 lm – 8,7 W / 6.750 lm cpl      dimmbar  
↳ ↔ 46 cm ↓ 46 cm ↓ 10 cm      *dimmable*

## 361 604 09 □


Deckenleuchte 4-flammig  
*ceiling lamp 4-light*      \* 4 x HV-LED 750 lm – 8,7 W / 3.000 lm cpl      dimmbar  
↳ ↔ 32 cm ↓ 32 cm ↓ 10 cm      *dimmable*

incl. LED 2700 K / Ra80



# LINE

Aluminium geschliffen / smoothed aluminium



**389 805 09**

Schiene 5-flammig  
ceiling lamp 5-light

\* 5 x HV-LED 400 lm – 4,3 W / 2.000 lm cpl  
☐ ↔ max. 230 cm ↓ 10 cm


Lichtelemente kipp-/drehbar, dimmbar  
light elements can be tilted and rotated, dimmable

incl. LED 2700 K / Ra80



# LINE

Aluminium geschliffen / smoothed aluminium



## 389 604 09 □

Deckenleuchte 4-flammig  
ceiling lamp 4-light

\* 4 x HV-LED 400 lm – 4,3 W / 1.600 lm cpl  
☑ ↔ 38 cm ↓ 38 cm ↓ 8 cm

Lichtelemente kipp-/drehbar, dimmbar  
light elements can be tilted and rotated, dimmable

## 389 004 09 ○

Deckenleuchte 4-flammig  
ceiling lamp 4-light

\* 4 x HV-LED 400 lm – 4,3 W / 1.600 lm cpl  
☑ ↔ max. 125 cm ↓ 10 cm

Lichtelemente kipp-/drehbar, dimmbar  
light elements can be tilted and rotated, dimmable

## 389 802 09

Deckenleuchte 2-flammig  
ceiling lamp 2-light

\* 2 x HV-LED 400 lm – 4,3 W / 800 lm cpl  
☑ ↔ 40 cm ↓ 8 cm

Lichtelemente kipp-/drehbar, dimmbar  
light elements can be tilted and rotated, dimmable

## 389 803 09

Deckenleuchte 3-flammig  
ceiling lamp 3-light

\* 3 x HV-LED 400 lm – 4,3 W / 1.200 lm cpl  
☑ ↔ 60 cm ↓ 8 cm

Lichtelemente kipp-/drehbar, dimmbar  
light elements can be tilted and rotated, dimmable

## 389 804 09 □

Deckenleuchte 4-flammig  
ceiling lamp 4-light

\* 4 x HV-LED 400 lm – 4,3 W / 1.600 lm cpl  
☑ ↔ 85 cm ↓ 8 cm

Lichtelemente kipp-/drehbar, dimmbar  
light elements can be tilted and rotated, dimmable

## 389 501 09

Wandleuchte 1-flammig  
wall lamp 1-light


\* 1 x HV-LED 400 lm – 4,3 W / 400 lm cpl  
☑ ↔ 8 cm ↓ 8 cm ↔ 8 cm

Lichtelemente kipp-/drehbar, dimmbar  
light elements can be tilted and rotated, dimmable



# CUBUS

Aluminium geschliffen / *smoothed aluminium*



**385 804 09**

Deckenleuchte 4-flammig  
ceiling lamp 4-light


\* 4 x HV-LED 750 lm – 8,7 W / 3.000 lm cpl  
☐ ↔ 37 x 37 cm ↓ 12 cm

dimmbar  
*dimmable*

incl. LED 2700 K / Ra80

# CUBUS

Aluminium geschliffen / smoothed aluminium



## 385 805 09

Deckenleuchte 5-flammig  
ceiling lamp 5-light

\* 5 x HV-LED 750 lm – 8,7 W / 3.000 lm cpl  
↔ 58 cm ↓ 34 cm ↓ 6 cm

dimmbar  
dimmable

## 385 803 09

Deckenleuchte 3-flammig  
ceiling lamp 3-light

\* 3 x HV-LED 750 lm – 8,7 W / 2.250 lm cpl  
↔ 36 cm ↓ 28 cm ↓ 6 cm

dimmbar  
dimmable

incl. LED 2700 K / Ra80



## 385 404 09

Fluter 4-flammig  
floor lamp 4-light

\* 4 x HV-LED 1.590 lm – 17 W / 6.360 lm cpl  
↑ 180 cm

Schiebedimmer  
sliding regulator



## 385 501 09

Wandleuchte 1-flammig  
wall lamp 1-light


\* 1 x HV-LED 750 lm – 8,7 W / 750 lm cpl  
↔ 10 cm ↓ 3 cm ↔ 10 cm

dimmbar  
dimmable



# LEDs GO

Aluminium geschliffen  
brushed aluminium



## 248 905 09 / 248 995 09

Hängeleuchte 5-flammig \* 5 x LED 419 lm – 4,5 W / 2.095 lm cpl dimmbar / *dimmable*  
*hanging lamp 5-light* ☒ ↔ 140 cm ↓ max. 140 cm

## 248 904 09 / 248 994 09

Hängeleuchte 4-flammig \* 4 x LED 419 lm – 4,5 W / 1.676 lm cpl dimmbar / *dimmable*  
*hanging lamp 4-light* ☒ ↔ 115 cm ↓ max. 140 cm

## 248 903 09 / 248 993 09

Hängeleuchte 3-flammig \* 3 x LED 419 lm – 4,5 W / 1.257 lm cpl dimmbar / *dimmable*  
*hanging lamp 3-light* ☒ ↔ 90 cm ↓ max. 140 cm

## 248 906 09 / 248 996 09 ohne Abb. / *without ill.*

Hängeleuchte 6-flammig \* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl dimmbar / *dimmable*  
*hanging lamp 6-light* ☒ ↔ 195 cm ↓ max. 140 cm




incl. LED 2700 K / Ra85



# EXTRA

Aluminium geschliffen / *smoothed aluminium*



**367 804 09 / 367 894 09**

Deckenleuchte 4-flammig  
*ceiling lamp 4-light*

\* 4 x LED 419 lm – 4,5 W / 1.676 lm cpl  
☐ ↔ 30 cm ↓ 30 cm ↓ 10 cm

dimmbar  
*dimmable*


**367 806 09 / 367 896 09**

Deckenleuchte 6-flammig  
*ceiling lamp 6-light*

\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
☐ ↔ 30 cm ↓ 45 cm ↓ 10 cm



dimmbar  
*dimmable*

incl. LED 2700 K / Ra85



# FOCUS

Aluminium geschliffen / *brushed aluminium*



**287 502 09**

Wandleuchte 2-flammig  
wall lamp 2-light

\* 2 x LED 315 lm – 3,1 W / 630 lm cpl  
□ ↓ 4,5 cm ↔ 10 cm ↗ 11 cm

optional: Farbfilter / *optionally: colour filter*

**707 166 06** gelb / *yellow*

**707 166 11** rot / *red*

**707 166 14** blau / *blue*

**707 166 15** grün / *green*


incl. LED 2700 K / Ra85





# CASCADE

Aluminium geschliffen, Glas opal weiß  
*brushed aluminium, opalescent white glass*



## 316 907 09 / 316 997 09

Hängeleuchte 7-flammig  
*hanging lamp 7-light*

\* 7 x LED 419 lm – 4,5 W / 2.933 lm cpl  
 ☒ ↔ 150 cm ↓ max. 140 cm

höhenstellbar, dimmbar  
*adjustable in height, dimmable*

## 316 905 09 / 316 995 09

Hängeleuchte 5-flammig  
*hanging lamp 5-light*

\* 5 x LED 419 lm – 4,5 W / 2.095 lm cpl  
 ☒ ↔ 100 cm ↓ max. 140 cm

höhenstellbar, dimmbar  
*adjustable in height, dimmable*


## 316 405 09

Stehleuchte 5-flammig  
*floor lamp 5-light*

\* 5 x LED 419 lm – 4,5 W / 2.095 lm cpl  
 ☒ ↑ 155 cm

incl. LED 2700 K / Ra85

Ersatzglas / replacement glass: 707 025 01





# LOOP

Aluminium geschliffen, alufarbig, Glas opal weiß  
*brushed aluminium, aluminium coloured, opalescent white glass*



## 326 803 09 / 326 893 09

Deckenleuchte 3-flammig \* 3 x LED 419 lm – 4,5 W / 1.257 lm cpl dimmbar / *dimmable*  
*ceiling lamp 3-light* ☐ ø 50 cm ↓ 30 cm

## 326 805 09 / 326 895 09


Deckenleuchte 5-flammig \* 5 x LED 419 lm – 4,5 W / 2.095 lm cpl dimmbar / *dimmable*  
*ceiling lamp 5-light* ☐ ø 70 cm ↓ 33 cm

## 326 403 09

Stehleuchte 3-flammig \* 3 x LED 419 lm – 4,5 W / 1.257 lm cpl  
*floor lamp 3-light* ☐ ↑ 155 cm

incl. LED 2700 K / Ra85



Ersatzglas / *replacement glass*: 707 024 01





# STEP

Aluminium geschliffen / *smoothed aluminium*



369 906 09 / 369 996 09

Pendelleuchte 6-flammig  
*hanging lamp 6-light*

✳ 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
 ☒ ↔ 140 cm ↓ 100 - 190 cm


höhenverstellbar, Lichtelemente kipp-/ drehbar,  
*dimmbare / adjustable in height, light elements can be tilted and rotated, dimmable*

incl. LED 2700 K / Ra85



# STEP

Aluminium geschliffen – weiß / *smoothed aluminium – white*



## 369 804 09

Deckenleuchte 4-flammig  
*ceiling lamp 4-light*      \* 4 x LED 419 lm – 4,5 W / 1.676 lm cpl  
☑ ↔ 80 cm ↓ 12 cm      Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated; dimmable*

## 369 501 09

Wandleuchte 1-flammig  
*wall lamp 1-light*      \* 1 x LED 419 lm – 4,5 W / 419 lm cpl  
☑ ↓ 10 cm ↔ 10 cm ↗ 12 cm      Lichtelemente kipp-/drehbar, nicht dimmbar  
*light elements can be tilted and rotated; can not be dimmed*

## 369 802 09

Deckenleuchte 2-flammig  
*ceiling lamp 2-light*      \* 2 x LED 419 lm – 4,5 W / 838 lm cpl  
☑ ↔ 39 cm ↓ 12 cm      Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated; dimmable*

## 369 805 09

Deckenleuchte 5-flammig  
*ceiling lamp 5-light*      \* 5 x LED 419 lm – 4,5 W / 2.095 lm cpl  
☑ ↔ 40 cm ↓ 80 cm ↓ 12 cm      Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated; dimmable*

## 369 803 09

Deckenleuchte 3-flammig  
*ceiling lamp 3-light*      \* 3 x LED 419 lm – 4,5 W / 1.257 lm cpl  
☑ ↔ 59 cm ↓ 12 cm      Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated; dimmable*

incl. LED 2700 K / Ra85



# TIME

Aluminium geschliffen – Glas weiß matt / *smoothed aluminium – mat white glass*



## 362 806 09

Deckenleuchte 6-flammig  
*ceiling lamp 6-light*


\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
☐ ↔ 50 x 42 cm ↓ 4 cm

dimmbar  
*dimmable*

## 362 802 09

Decken-/ Wandleuchte 2-fl.  
*ceiling / wall lamp 2-light*

\* 2 x LED 419 lm – 4,5 W / 838 lm cpl  
☐ ↔ 40 x 25 cm ↓ 4 cm




incl. LED 2700 K / Ra85



# TWIST

Aluminium geschliffen / smoothed aluminium



## 373 805 09

Deckenleuchte 5-flammig  
ceiling lamp 5-light

\* 5 x LED 419 lm – 4,5 W / 2.095 lm cpl  
☐ ↔ 90 cm ↓ 8 cm ↓ 12 cm

dimmbar  
dimmable

## 373 906 09

Hängeleuchte 6-flammig  
hanging lamp 6-light

\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
☐ ↔ 115 cm ↓ max. 140 cm

höhenstellbar, 4 LED nach unten, 2 LED nach oben / adjustable in height

## 373 806 09 / 373 896 09

Deckenleuchte 6-flammig  
ceiling lamp 6-light

\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
☐ ↔ 80 cm ↓ 18 cm ↓ 12 cm



dimmbar  
dimmable

incl. LED 2700 K / Ra85



# TWIST

weiß matt / *mat white*



## 374 805 09

Deckenleuchte 5-flammig  
*ceiling lamp 5-light*

\* 5 x LED 419 lm – 4,5 W / 2.095 lm cpl  
☐ ↔ 90 cm ↓ 8 cm ↓ 12 cm

dimmbar  
*dimmable*

## 374 806 09 / 374 896 09

Deckenleuchte 6-flammig  
*ceiling lamp 6-light*

\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
☐ ↔ 80 cm ↓ 18 cm ↓ 12 cm

dimmbar  
*dimmable*


## 374 906 09

Hängeleuchte 6-flammig  
*hanging lamp 6-light*

\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
☐ ↔ 115 cm ↓ max. 140 cm


höhenstellbar, 4 LED nach unten, 2 LED nach oben  
*adjustable in height*

incl. LED 2700 K / Ra85



# SATURN

weiß matt / *mat white*



364 803 09 / 364 893 09

Deckenleuchte 3-flammig  
*ceiling lamp 3-light*

\* 3 x LED 1.334 lm – 13,7 W / 4.002 lm cpl  
☐ ø 50 cm ↓ 35 cm


dimmbar  
*dimmable*

incl. LED 2700 K / Ra85



# VERTEX

weiß matt / mat white



**382 904 09**

Pendelleuchte 4-flammig  
hanging lamp 4-light

\* 4 x HV-LED 750 lm – 8,7 W / 3.000 lm cpl  
☒ ↔ 130 cm ↓ max. 140 cm

dimmbar  
dimmable


incl. LED 2700 K / Ra80





# LINE

weiß matt / mat white



**390 805 09**

Schiene 5-flammig  
ceiling lamp 5-light



\* 5 x HV-LED 400 lm – 4,3 W / 2.000 lm cpl  
☐ ↔ max. 230 cm ↓ 10 cm

Lichtelemente kipp-/drehbar, dimmbar  
light elements can be tilted and rotated; dimmable

incl. LED 2700 K / Ra80

# LINE

weiß matt / mat white



**390 604 09** □  
 Deckenleuchte 4-flammig  
*ceiling lamp 4-light*      \* 4 x HV-LED 400 lm – 4,3 W / 1.600 lm cpl  
 ☐ ↔ 38 x 38 cm ↓ 8 cm      Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated; dimmable*

**390 004 09** ○  
 Deckenleuchte 4-flammig  
*ceiling lamp 4-light*      \* 4 x HV-LED 400 lm – 4,3 W / 1.600 lm cpl  
 ☐ ↔ max. 125 cm ↓ 10 cm      Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated; dimmable*

**390 802 09**  
 Deckenleuchte 2-flammig  
*ceiling lamp 2-light*      \* 2 x HV-LED 400 lm – 4,3 W / 800 lm cpl  
 ☐ ↔ 40 cm ↓ 8 cm      Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated; dimmable*



**390 803 09**  
 Deckenleuchte 3-flammig  
*ceiling lamp 3-light*      \* 3 x HV-LED 400 lm – 4,3 W / 1.200 lm cpl  
 ☐ ↔ 60 cm ↓ 8 cm      Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated; dimmable*

**390 804 09** □  
 Deckenleuchte 4-flammig  
*ceiling lamp 4-light*      \* 4 x HV-LED 400 lm – 4,3 W / 1.600 lm cpl  
 ☐ ↔ 85 cm ↓ 8 cm      Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated; dimmable*

**390 501 09**  
 Wandleuchte 1-flammig  
*wall lamp 1-light*      \* 1 x HV-LED 400 lm – 4,3 W / 400 lm cpl  
 ☐ ↔ 8 cm ↓ 8 cm ↔ 8 cm      Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated; dimmable*

# DOMINO

Aluminium geschliffen, weiß / *brushed aluminium, white*



**324 402 09**  
 Stehleuchte 2-flammig  
*floor lamp 2-light*      \* 2 x LED 419 lm – 4,5 W / 838 lm cpl  
 ☒ ↑ 155 cm      Lichtelemente kipp-/drehbar  
*light elements can be tilted and rotated*

**324 501 09**  
 Wandleuchte 1-flammig  
*wall lamp 1-light*      \* 1 x LED 419 lm – 4,5 W / 419 lm cpl  
 ☒ ↓ 10 cm ↔ 10 cm ↔ 14 cm      Lichtelement kipp-/drehbar  
*light element can be tilted and rotated*

**324 803 09**  
 Deckenleuchte 3-flammig  
*ceiling lamp 3-light*      \* 3 x LED 419 lm – 4,5 W / 1.257 lm cpl  
 ☒ ↔ 67 cm ↓ 13 cm      Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated, dimmable*

**324 802 09**  
 Deckenleuchte 2-flammig  
*ceiling lamp 2-light*      \* 2 x LED 419 lm – 4,5 W / 838 lm cpl  
 ☒ ↔ 50 cm ↓ 13 cm      Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated, dimmable*



**324 804 09**  
 Deckenleuchte 4-flammig  
*ceiling lamp 4-light*      \* 4 x LED 419 lm – 4,5 W / 1.676 lm cpl  
 ☒ ↔ 85 cm ↓ 13 cm      Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated, dimmable*

incl. LED 2700 K / Ra85



# DOMINO

Aluminium geschliffen, schwarz / brushed aluminium, black



**325 402 09**  
 Stehleuchte 2-flammig  
*floor lamp 2-light*  
 ✱ 2 x LED 419 lm – 4,5 W / 838 lm cpl  
 ⏏ ↑ 155 cm  
 Lichtelemente kipp-/drehbar  
*light elements can be tilted and rotated*



**325 802 09**  
 Deckenleuchte 2-flammig  
*ceiling lamp 2-light*  
 ✱ 2 x LED 419 lm – 4,5 W / 838 lm cpl  
 ⏏ ↔ 50 cm ↓ 13 cm  
 Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated, dimmable*


**325 501 09**  
 Wandleuchte 1-flammig  
*wall lamp 1-light*  
 ✱ 1 x LED 419 lm – 4,5 W / 419 lm cpl  
 ⏏ ↓ 10 cm ↔ 10 cm → 14 cm  
 Lichtelement kipp-/drehbar  
*light element can be tilted and rotated*

**325 803 09**  
 Deckenleuchte 3-flammig  
*ceiling lamp 3-light*  
 ✱ 3 x LED 419 lm – 4,5 W / 1.257 lm cpl  
 ⏏ ↔ 67 cm ↓ 13 cm  
 Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated, dimmable*

**325 804 09**  
 Deckenleuchte 4-flammig  
*ceiling lamp 4-light*  
 ✱ 4 x LED 419 lm – 4,5 W / 1.676 lm cpl  
 ⏏ ↔ 85 cm ↓ 13 cm  
 Lichtelemente kipp-/drehbar, dimmbar  
*light elements can be tilted and rotated, dimmable*

# CUBUS

schwarz-weiss / black-white



## 386 805 09

Deckenleuchte 5-flammig  
ceiling lamp 5-light

\* 5 x HV-LED 750 lm – 8,7 W / 3.750 lm cpl  
↔ 34 x 58 cm ↓ 6 cm

dimmbar  
dimmable

## 386 803 09

Deckenleuchte 3-flammig  
ceiling lamp 3-light

\* 3 x HV-LED 750 lm – 8,7 W / 2.250 lm cpl  
↔ 28 x 36 cm ↓ 6 cm

dimmbar  
dimmable

incl. LED 2700 K / Ra80



## 386 404 09

Fluter 4-flammig  
floor lamp 4-light

\* 4 x HV-LED 1.590 lm – 17 W / 6.360 lm cpl  
↑ 180 cm

Schiebedimmer  
sliding regulator

## 386 501 01 ○

Wandleuchte 1-flammig  
wall lamp 1-light

\* 1 x HV-LED 750 lm – 8,7 W / 750 lm cpl  
↔ 10 cm ↓ 3 cm ↔ 10 cm

dimmbar  
dimmable

## 386 501 31 ●

Wandleuchte 1-flammig  
wall lamp 1-light

\* 1 x HV-LED 750 lm – 8,7 W / 750 lm cpl  
↔ 10 cm ↓ 3 cm ↔ 10 cm

dimmbar  
dimmable

## 386 804 09


Deckenleuchte 4-flammig  
ceiling lamp 4-light

\* 4 x HV-LED 750 lm – 8,7 W / 3.000 lm cpl  
↔ 37 x 37 cm ↓ 12 cm

dimmbar  
dimmable

# BRIDGE

schwarz matt / *mat black*



## 243 202 09

Tischleuchte 2-flammig  
*table lamp 2-light*

\* 2 x LED 309 lm – 3,2 W / 618 lm cpl  
☑ ↑ 50 cm Armlänge / *arm length* 50 cm

## 243 502 09

Klemmleuchte 2-flammig  
*clamp lamp 2-light*

\* 2 x LED 309 lm – 3,2 W / 618 lm cpl  
☑ ↑ 50 cm Armlänge / *arm length* 50 cm

## 243 402 09

Stehleuchte 2-flammig  
*floor lamp 2-light*

\* 2 x LED 309 lm – 3,2 W / 618 lm cpl  
☑ ↑ 150 cm Armlänge / *arm length* 50 cm

incl. LED 2700 K / Ra85





# CAMPO

Aluminium geschliffen – Edelstahl, Glas weiß  
*brushed aluminium – stainless steel, glass white*



**175 815 24**


Deckenleuchte 15-flammig  
*ceiling lamp 15-light*

\* 15 x G 4 – 10 W  
 □ ø 80 cm ↓ 35 cm

**175 809 24**

Deckenleuchte 9-flammig  
*ceiling lamp 9-light*

\* 9 x G 4 – 10 W  
 □ ø 80 cm ↓ 35 cm




Ersatzglas / replacement glass: 707 002 01

incl.

# TRANSFER

Aluminium geschliffen – Edelstahl  
*brushed aluminium – stainless steel*



**140 812 24** □

Deckenleuchte 12-flammig  
*ceiling lamp 12-light*

\* 12 x G 4 – 10 W  
 □ ↓ 100 cm ↔ 25 cm ↓ 8 cm

**140 612 24** □

Deckenleuchte 12-flammig  
*ceiling lamp 12-light*

\* 12 x G 4 – 10 W  
 □ ↓ 50 cm ↔ 50 cm ↓ 8 cm

incl.

# PONTE

Aluminium geschliffen, Glas opalweiss / brushed aluminium, glass white



## 200 804 01

Deckenleuchte 4-flammig  
ceiling lamp 4-light  
\* 4 x G 9 – 33 W  
☒ ↔ 95 cm ↓ 15 cm

## 200 906 01

Hängeleuchte 6-flammig  
hanging lamp 6-light  
\* 6 x G 9 – 33 W  
☒ ↔ 145 cm ↓ max. 140 cm

## 200 904 01


Hängeleuchte 4-flammig  
hanging lamp 4-light  
\* 4 x G 9 – 33 W  
☒ ↔ 95 cm ↓ max. 140 cm

Ersatzglas / replacement glass: **707 233 01**  
Glaszylinder / glass cylinder: **707 041 01**

incl.

# WAVE

Aluminium geschliffen  
brushed aluminium



## 277 403 02

Stehleuchte 3-flammig  
floor lamp 3-light  
\* 3 x G 9 – 33 W  
☒ ↑ 140 cm

## 277 905 02

Hängeleuchte 5-flammig  
hanging lamp 5-light  
\* 5 x G 9 – 33 W  
☒ ↔ 100 cm ↓ max. 140 cm

## 277 907 02

Hängeleuchte 7-flammig  
hanging lamp 7-light  
\* 7 x G 9 – 33 W  
☒ ↔ 140 cm ↓ max. 140 cm

## 277 805 02


Deckenleuchte 5-flammig  
ceiling lamp 5-light  
\* 5 x G 9 – 33 W  
☒ ↔ 100 cm ↓ 18 cm

incl.

Ersatzglas / replacement glass: **707 172 01**

# CUT

Aluminium geschliffen, Glas weiß gewischt / *brushed aluminium, glass white*



**133 906 01**

Hängeleuchte 6-flammig  
*hanging lamp 6-light*      \* 6 x G 9 – 33 W  
↔ 135 cm ↓ max. 140 cm

**133 904 01**


Hängeleuchte 4-flammig  
*hanging lamp 4-light*      \* 4 x G 9 – 33 W  
↔ 85 cm ↓ max. 140 cm

Ersatzglas / *replacement glass*: **707 200 01**

incl.

# WAVE

Antikkupfer / *antique copper*



**277 805 40**

Deckenleuchte 5-flammig  
*ceiling lamp 5-light*      \* 5 x G 9 – 33 W  
↔ 100 cm ↓ 18 cm

**277 907 40**

Hängeleuchte 7-flammig  
*hanging lamp 7-light*      \* 7 x G 9 – 33 W  
↔ 140 cm ↓ max. 140 cm

**277 905 40**

Hängeleuchte 5-flammig  
*hanging lamp 5-light*      \* 5 x G 9 – 33 W  
↔ 100 cm ↓ max. 140 cm

**277 403 40**

Stehleuchte 3-flammig  
*floor lamp 3-light*      \* 3 x G 9 – 33 W  
↑ 140 cm

incl.


Ersatzglas / *replacement glass*: **707 172 01**





# VERTEX

Antikkupfer / antique copper



**383 904 09**

Pendelleuchte 4-flammig  
*hanging lamp 4-light*


\* 4 x HV-LED 750 lm – 8,7 W / 3.000 lm cpl  
☒ ↔ 130 cm ↓ max. 140 cm

dimmbar  
*dimnable*

incl. LED 2700 K / Ra80

# ONDA

Antikkupfer / antique copper



## 332 906 09 / 332 996 09

Hängeleuchte 6-flammig  
hanging lamp 6-light  
\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
↔ 150 cm ↓ max. 140 cm  
höhenstellbar, dimmbar  
adjustable in height, dimmable

## 332 806 09 / 332 896 09

Deckenleuchte 6-flammig  
ceiling lamp 6-light  
\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
↔ 60 cm ↓ 26 cm ↓ 8 cm  
dimmbar / dimmable



## 332 905 09 / 332 995 09

Hängeleuchte 5-flammig  
hanging lamp 5-light  
\* 5 x LED 419 lm – 4,5 W / 2.095 lm cpl  
↔ 115 cm ↓ max. 140 cm  
höhenstellbar, dimmbar  
adjustable in height, dimmable

## 332 502 09


Wandleuchte 2-flammig  
wall lamp 2-light  
\* 2 x LED 419 lm – 4,5 W / 838 lm cpl  
↔ 40 cm ↔ 12 cm

## 332 809 09 / 332 895 09

Deckenleuchte 9-flammig  
ceiling lamp 9-light  
\* 9 x LED 419 lm – 4,5 W / 3.771 lm cpl  
↔ 100 cm ↓ 26 cm ↓ 8 cm  
dimmbar  
dimmable

# ARCO

Antikkupfer / antique copper



## 280 804 09

Deckenleuchte 4-flammig  
ceiling lamp 4-light  
\* 4 x LED 419 lm – 4,5 W / 1.676 lm cpl  
↔ 80 cm ↓ 8 cm ↓ 7,5 cm  
dimmbar / dimmable

## 280 604 09

Deckenleuchte 4-flammig  
ceiling lamp 4-light  
\* 4 x LED 419 lm – 4,5 W / 1.676 lm cpl  
↔ 40 cm ↓ 40 cm  
Lichtelement schwenkbar, dimmbar  
light elements rotatable, dimmable

## 280 906 09 / 280 996 09

Hängeleuchte 6-flammig  
hanging lamp 6-light  
\* 6 x LED 419 lm – 4,5 W / 2.514 lm cpl  
↔ 150 cm ↓ 105 - 190 cm  
höhenstellbar über Gegengewicht, dimmbar  
adjustable in height by a counter weight, dimmable

## 280 502 09

Wandleuchte 2-flammig  
wall lamp 2-light  
\* 2 x LED 419 lm – 4,5 W / 838 lm cpl  
↔ 40 cm ↔ 12 cm

## 280 904 09 / 280 994 09

Hängeleuchte 4-flammig  
hanging lamp 4-light  
\* 4 x LED 419 lm – 4,5 W / 1.676 lm cpl  
↔ 115 cm ↓ 105 - 190 cm  
höhenstellbar über Gegengewicht, dimmbar  
adjustable in height by a counter weight, dimmable

## 280 400 09



Stehleuchte 3-flammig  
floor lamp 3-light  
\* 3 x LED 1240 lm – 13,7 W / 3.720 lm cpl  
↑ 180 cm  
Lichtelement schwenkbar, dimmbar über Tastdimmer  
light elements rotatable, dimmable by a touch dimmer

incl. LED 2700 K / Ra85



# MORE

Antikkupfer / antique copper



## 359 905 09


Hängeleuchte 5-flammig  
hanging lamp 5-light  
\* 2 x LED 419 lm – 4,5 W  
3 x LED 576 lm – 6,7 W / 2.566 lm cpl  
↔ 100 cm ↓ max. 140 cm  
höhenstellbar, Tastdimmer  
adjustable in height, pushbutton dimmer

incl. LED 2700 K / Ra85



# COLLECTION 15

ARTIKELNUMMER	SEITE	ARTIKELNUMMER	SEITE	ARTIKELNUMMER	SEITE
<b>100</b>		280 804 09	109	357 905 09	45
133 904 01	102	280 904 09	109	358 905 09	15
133 906 01	102	280 906 09	108	359 905 09	109
140 612 24	99	287 502 09	67	361 001 09	53
140 812 24	99	296 400 09	18	361 604 09	53
175 809 24	98	296 502 09	18	361 801 09	53
175 815 24	98	296 604 09	19	361 802 09	53
<b>200</b>		296 804 09	19	361 804 09	53
200 804 01	100	296 904 09	19	361 809 09	53
200 904 01	100	296 906 09	17	362 802 09	77
200 906 01	100	<b>300</b>		362 806 09	77
241 202 09	33	316 405 09	69	363 404 09	37
241 402 09	33	316 905 09	69	363 803 09	37
241 502 09	33	316 907 09	69	364 803 09	83
242 202 09	32	322 502 09	42	365 803 09	5
242 402 09	32	322 806 09	43	367 804 09	65
242 502 09	32	322 809 09	42	367 806 09	65
243 202 09	97	322 905 09	43	368 804 09	27
243 402 09	97	322 906 09	42	368 806 09	27
243 502 09	97	323 502 09	13	369 501 09	74
248 903 09	63	323 806 09	13	369 802 09	74
248 904 09	63	323 809 09	13	369 803 09	75
248 905 09	62	323 905 09	12	369 804 09	74
248 906 09	62	323 906 09	11	369 805 09	75
249 903 09	24	324 402 09	90	369 906 09	73
249 904 09	25	324 501 09	90	370 501 09	30
249 905 09	24	324 802 09	91	370 802 09	31
249 906 09	23	324 803 09	91	370 803 09	31
273 400 09	48	324 804 09	91	370 804 09	31
273 406 09	47	325 402 09	92	370 805 09	30
273 502 09	48	325 501 09	92	370 906 09	29
273 604 09	49	325 802 09	92	371 203 09	39
273 804 09	49	325 803 09	93	371 804 09	39
273 904 09	49	325 804 09	93	371 906 09	38
273 906 09	48	326 403 09	71	372 203 09	7
277 403 02/40	101/103	326 803 09	71	372 804 09	7
277 805 02/40	101/103	326 805 09	71	372 906 09	7
277 905 02/40	101/103	332 502 09	107	373 805 09	79
277 907 02/40	101/103	332 806 09	106	373 806 09	79
280 400 09	109	332 809 09	107	373 906 09	79
280 502 09	108	332 905 09	107	374 805 09	81
280 604 09	108	332 906 09	106	374 806 09	81

ARTIKELNUMMER	SEITE	 ARTIKEL MIT BLUE-TOOTH-STEUERUNG PER APP	SEITE
374 906 09	81	248 993 09	63
379 001 09	51	248 994 09	63
379 604 09	51	248 995 09	62
379 801 09	51	248 996 09	62
379 804 09	51	249 993 09	24
380 904 09	35	249 994 09	25
381 904 09	9	249 995 09	24
382 904 09	85	249 996 09	23
383 904 09	105	273 994 09	49
384 904 09	3	273 996 09	48
385 404 09	61	280 994 09	109
385 501 09	61	280 996 09	108
385 803 09	60	296 994 09	19
385 804 09	59	296 996 09	17
385 805 09	60	316 995 09	69
386 404 09	95	316 997 09	69
386 501 01	95	322 896 09	43
386 501 31	95	322 899 09	42
386 803 09	94	322 995 09	43
386 804 09	95	322 996 09	42
386 805 09	94	323 896 09	13
389 004 09	56	323 899 09	13
389 501 09	57	323 995 09	12
389 604 09	56	323 996 09	11
389 802 09	57	326 893 09	71
389 803 09	57	326 895 09	71
389 804 09	57	332 896 09	106
389 805 09	55	332 899 09	107
390 004 09	88	332 995 09	107
390 501 09	89	332 996 09	106
390 604 09	88	363 893 09	37
390 802 09	89	364 893 09	83
390 803 09	89	365 893 09	5
390 804 09	89	367 894 09	65
390 805 09	87	367 896 09	65
391 907 09	41	368 894 09	27
392 907 09	21	368 896 09	27
		369 996 09	73
		370 996 09	29
		373 896 09	79
		374 896 09	81

# BOPP AUSSENDIENST

## LINUS BOPP LEUCHTEN GMBH

Tannenweg 6  
D - 74838 Limbach

Tel. + 49 (0) 62 87 - 92 06 0  
Fax + 49 (0) 62 87 - 92 06 52

### Hessen, Nordrhein-Westfalen

Heinz-Peter Benkert  
Wielsiepen 43  
58579 Schalksmühle  
Tel. 0 23 55 - 40 14 80  
Fax 0 23 55 - 40 14 81  
Mob. 0171 - 267 59 33  
E-mail: p.benkert@KDB-computer.de

### Baden Württemberg, Rheinland-Pfalz, Saarland,

#### Bayern PLZ: 86-89, 91, 96-97, Luxemburg

Erich Reifig  
Pommernstraße 43 a  
76646 Bruchsal  
Tel. 0 72 57 - 90 24 48  
Fax 0 72 57 - 90 24 49  
Mob. 0172 - 738 28 36  
E-mail: reifig@t-online.de

### Berlin, Brandenburg,

#### Mecklenburg-Vorpommern, Sachsen,

#### Sachsen-Anhalt, Thüringen

Uwe Posanski  
Windsheimer Straße 13  
04207 Leipzig  
Tel. 0341 - 4 80 65 27  
Fax 0341 - 4 80 65 28  
Mob. 0171 - 414 35 32  
E-mail: posanski@web.de

### Bremen, Hamburg, Niedersachsen,

#### Schleswig-Holstein

Gabriele Willbrand  
Handelsagentur  
Am Lehacker 41  
59174 Kamen  
Tel. 0 23 07 - 30 177  
Fax 0 23 07 - 38 616  
Mob. 0170 - 381 07 51  
E-mail: gwillbrand@t-online.de

Verkauf + 49 (0) 62 87 - 92 06 11  
Export + 49 (0) 62 87 - 92 06 23  
Kundendienst + 49 (0) 62 87 - 92 06 26

Verkauf vk@bopp-leuchten.de  
Export ex@bopp-leuchten.de  
Kundendienst ret@bopp-leuchten.de

### Bayern PLZ: 80-85, 90, 92-95,

#### Österreich

Gottfried Kraft  
Markt 176  
A - 5441 Abtenau  
Tel. + 43 (0) 62 43 - 38 03 10  
Mob + 43 (0) 664 - 144 21 17  
Mob 0176 - 238 293 62  
E-mail: g.kraft@sbg.at

### Schweiz

Finnor Project AG  
Mäderstr. 7  
CH-5400 Baden  
Tel. + 41 (0) 56 - 2 00 21 11  
Fax + 41 (0) 56 - 2 00 21 13  
E-mail: finnor@finnor.ch

### Niederlande / Belgien

STARLIGHT  
René Schulte  
Tilburgstraat 19  
NL - 5268 Helvoirt  
Tel. +31 (0) 411 - 64 52 45  
Fax +31 (0) 411 - 64 52 43  
E-mail: info@starlightverlichting.nl

### Frankreich

Bruno Le Moigne  
Tel. +33 (0) 68 77 48 440  
Fax +33 (0) 95 86 7 - 06 83  
E-mail: b.lemoigne@laposte.net

Stéphane Kerjean  
Tel. +33 (0) 67 33 78 813  
Fax +33 (0) 95 86 7 - 06 83  
E-mail: stephanekerjean@yahoo.fr




# EU-LABEL

## ZUORDNUNG ENERGIEVER- BRAUCHSKENNZEICHNUNG

Die Auszeichnungen der EU-Label auf den einzelnen Katalogseiten bezieht sich auf alle Leuchten der auf dieser Seite befindlichen Produktfamilie.  
Eine Abbildung der EU-Label in Originalgröße finden Sie hier:

## ASSIGNMENT ENERGY LABELING

The EU labels shown on each catalogue page refer to all light fixtures of one product family shown on that page. An illustration of the EU label in original size can be found here:



# DIMMER

Unsere aktuellen Dimmerempfehlungen finden Sie unter [www.bopp-leuchten.de/dimmer](http://www.bopp-leuchten.de/dimmer) oder hier:



Our up-to-date dimmer recommendations can be found on our website [www.bopp-leuchten.de/dimmer](http://www.bopp-leuchten.de/dimmer) or here:

